

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 12/07/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,845	04/14/2004	David Hsing Lin	200402290-1	5529
7590 12/07/2006			EXAMINER	
HEWLETT-PACKARD COMPANY			AHLUWALIA, NAVNEET K	
Intellectual Property Administration P. O. Box 272400			ART UNIT	. PAPER NUMBER
Fort Collins, CO 80527-2400			2166	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Assistant Commencers	10/823,845	LIN, DAVID HSING				
Office Action Summary	Examiner	Art Unit				
	Navneet K. Ahluwalia	2166				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timulated and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 April 2004.						
, —	, , , _					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-22 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-22 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 14 April 2004 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to be drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

DETAILED ACTION

1. The application has been examined. Claims 1 – 22 are pending in this office action.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Gao et al. ('Gao' herein after) (US 6,898,650 B1).

With respect to claim 1,

Gao discloses a method for retrieving data comprising: locking a linked list (column 2 lines 46 – 54, Gao); retrieving data from an element in the linked list and also advancing to a subsequent element while a breakpoint is not encountered (Figure 3, column 3 lines 51 – 59, Gao); marking the subsequent element in the linked-list as inuse when a breakpoint is encountered (column 3 lines 39 – 50, Gao); creating a recommencement reference to the subsequent element (column 4 lines 36 – 49, Gao); and unlocking the linked list (column 4 lines 60 – 66, Gao).

With respect to claim 2,

Gao discloses the method of claim 1 further comprising: locking the linked list (column 2 lines 46 – 54, Gao); determining a subsequent element in the linked list according to the recommencement reference (column 5 lines 1 – 9, Gao); and retrieving data from the determined subsequent element (column 5 lines 10 – 17, Gao).

With respect to claim 3,

Gao discloses the method of claim 1 wherein creating a recommencement reference to the subsequent element comprises: retrieving a pointer to the subsequent element (column 2 lines 46 - 54, Gao); determining a process identifier for a current process (column 2 lines 64 - 67 and column 3 lines 1 - 8, Gao); and associating the pointer with the process identifier (column 3 lines 64 - 67 and column 4 lines 1 - 9, Gao).

With respect to claim 4,

Gao discloses the method of claim 1 wherein marking the subsequent element in the linked-list as in-use comprises maintaining a count of the quantity of processes that require additional access to the element (figure 3 and column 3 lines 39 – 51, Gao).

With respect to claim 5,

Gao discloses a method for deleting an element from a linked list comprising: determining if the element to be deleted is in-use (column 5 lines 10 – 21, Gao); updating a recommencement reference to the element to refer to a data element that is subsequent to the data element to be deleted when the element in is in-use (Table 14, Gao); and deleting the element (column 5 lines 25 – 43, Table 14, Gao).

With respect to claim 6,

Gao discloses the method of claim 5 wherein updating a recommencement reference to the element comprises: discovering a pointer associated with a process identifier (column 5 lines 1 – 9, Gao); disassociating the process identifier from the pointer; determining a pointer to a subsequent element (column 5 lines 10 – 17, Gao); and associating the process identifier with the newly determined pointer (column 2 lines 64 - 67 and column 3 lines 1 - 8, Gao).

With respect to claim 7,

Gao discloses an apparatus for storing and retrieving data comprising: processor capable of executing an instruction sequence, memory for storing an instruction sequence, input unit for receiving data (Figures 1, 5A and 5 B, Gao); first output unit for providing data according to a received data request, one or more ancillary output units for providing data according to a received data request (column 2 lines 46 – 54, Gao); instruction sequences stored in the memory including: data storage module that, when executed by the processor, minimally causes the processor to: receive data from the

Page 5

Art Unit: 2166

input unit allocate a data element to accommodate the data create a reference to the data element (column 5 lines 1-9, Gao); store the reference in at least one of a header pointer and a forward pointer included in a preceding data element and store the data in the data element (column 1 lines 29-43, Gao); data service module that, when executed by the processor, minimally causes the processor to: recognize a data request from the first output unit to the exclusion of all other data requests (column 3 lines 51-62, Gao); provide data to the first output unit from a data element according to a data element reference and also advance the data element reference to a subsequent data element while a breakpoint is not encountered (column 2 lines 31-38, Gao); mark a subsequent data element as in-use when a breakpoint is encountered (column 3 lines 39-50, Gao); create a recommencement reference to a subsequent data element (column 4 lines 36-49, Gao); and enable recognition of other data requests (column 4 lines 60-66, Gao).

With respect to claim 8,

Gao discloses the apparatus of claim 7 wherein the data service module, when executed by the processor, further minimally causes the processor to: recognize a data request from the first output unit to the exclusion of all other data requests (column 2 lines 46 - 54, Gao); and provide data to the first output unit from a data element according to the recommencement reference (column 5 lines 1 - 9, Gao).

With respect to claim 9,

Gao discloses the apparatus of claim 7 wherein the data service module causes the processor to create a recommencement reference by minimally causing the processor to: retrieve a pointer to a data element subsequent to a current data element (column 2 lines 64 - 67 and column 3 lines 1 - 8, Gao); determine an identifier associated with the data request received from the first output unit and store the retrieved pointer and the determined identifier in an associative manner (column 3 lines 64 - 67 and column 4 lines 1 - 9, Gao).

With respect to claim 10,

Gao discloses the apparatus of claim 7 wherein the data service module causes the processor to mark a subsequent data element as in-use by minimally causing the processor to increment a use counter included in a subsequent data element (figure 3 and column 3 lines 39 – 51, Gao).

With respect to claim 11,

Gao discloses the apparatus of claim 7 wherein the data service module further minimally causes the processor to receive a delete data request from an output unit by minimally causing the processor to: determine if a data element to be deleted is in-use (column 5 lines 10 – 21, Gao); update a recommencement reference to refer to a data element that is subsequent to the data element to be deleted (Table 14, Gao); and delete the data element according to the received delete data request (column 5 lines 25 – 43, Table 14, Gao).

With respect to claim 12,

Gao discloses the apparatus of claim 11 wherein the data service module causes the processor to update a recommencement reference by minimally causing the processor to: discover a pointer according to a data request identifier (column 5 lines 1 – 9, Gao); and replace the pointer with a pointer to a data element that is subsequent to the data element to be deleted (column 5 lines 10 – 17, Gao).

With respect to claim 13,

Gao discloses a computer readable medium having imparted thereon one or more instruction sequences for storing and retrieving data comprising: data storage module that, when executed by a processor, minimally causes the processor to: receive data from an input unit, allocate a data element to accommodate the data (Figures 1, 5A and 5 B, Gao); create a reference to the data element (column 5 lines 1 – 9, Gao) store the reference in at least one of a header pointer and a forward pointer included in a preceding data element and store the data in the data element (column 1 lines 29 – 43, Gao); data service module that, when executed by a processor, minimally causes the processor to: recognize a data request from a first output unit to the exclusion of all other data requests (column 3 lines 51 – 62, Gao); provide data to a first output unit from a data element according to a data element reference and also advance the data element reference to a subsequent data element while a breakpoint is not encountered (column 2 lines 31 – 38, Gao); mark a subsequent data element as in-use when a

breakpoint is encountered (column 3 lines 39 – 50, Gao); create a recommencement reference to a subsequent data element (column 4 lines 36 – 49, Gao); and enable recognition of other data requests (column 4 lines 60 – 66, Gao).

With respect to claim 14,

Gao discloses the computer readable medium of claim 13 wherein the data service module, when executed by a processor, further minimally causes the processor to: recognize a data request from a first output unit to the exclusion of all other data requests (column 2 lines 46 – 54, Gao); and provide data to a first output unit from a data element according to the recommencement reference (column 5 lines 1 – 9, Gao).

With respect to claim 15,

Gao discloses the computer readable medium of claim 13 wherein the data service module causes a processor to create a recommencement reference by minimally causing the processor to: retrieve a pointer to a data element subsequent to a current data element (column 2 lines 64 - 67 and column 3 lines 1 - 8, Gao); determine an identifier associated with a data request received from a first output unit and store the retrieved pointer and the determined identifier in an associative manner (column 3 lines 64 - 67 and column 4 lines 1 - 9, Gao).

With respect to claim 16,

Gao discloses the computer readable medium of claim 13 wherein the data service module causes a processor to mark a subsequent data element as in-use by minimally causing the processor to increment a use counter included in a subsequent data element (figure 3 and column 3 lines 39 – 51, Gao).

With respect to claim 17,

Gao discloses the computer readable medium of claim 13 wherein the data service module further minimally causes the processor to receive a delete data request from an output unit by minimally causing the processor to: determine if a data element to be deleted is in-use (column 5 lines 10 – 21, Gao); update a recommencement reference to refer to a data element that is subsequent to the data element to be deleted (Table 14, Gao); and delete the data element according to the received delete data request (column 5 lines 25 – 43, Table 14, Gao).

With respect to claim 18,

Gao discloses the computer readable medium of claim 17 wherein the data service module causes the processor to update a recommencement reference by minimally causing the processor to: discover a pointer according to a data request identifier (column 5 lines 1 - 9, Gao); and replace the pointer with a pointer to a data element that is subsequent to the data element to be deleted (column 5 lines 10 - 17, Gao).

With respect to claim 19,

Gao discloses an apparatus for storing and retrieving data comprising: means for locking a linked list (column 2 lines 46 – 54, Gao); means for retrieving data from an element in the linked list and also advancing to a subsequent element while a breakpoint is not encountered (Figure 3, column 3 lines 51 – 59, Gao); means for marking the subsequent element in the linked-list as in-use when a breakpoint is encountered (column 3 lines 39 – 50, Gao); means for creating a recommencement reference to the subsequent element (column 4 lines 36 – 49, Gao); and means for unlocking the linked list (column 4 lines 60 – 66, Gao).

With respect to claim 20,

Gao discloses the apparatus of claim 19 further comprising: means for locking the linked list (column 2 lines 46 – 54, Gao); means for determining a subsequent element in the linked list according to the recommencement reference (column 5 lines 1 – 9, Gao); and means for retrieving data from the determined subsequent element (column 5 lines 10 – 17, Gao).

With respect to claim 21,

Gao discloses the apparatus of claim 19 further comprising a means for deleting an element in the linked-list (column 5 lines 10 – 21, Gao).

Application/Control Number: 10/823,845 Page 11

Art Unit: 2166

With respect to claim 22,

Gao discloses the apparatus of claim 21 wherein the means for deleting an element comprises: means for determining if the element to be deleted is in-use (column 5 lines 10 - 21, Gao); means for updating a reference to the element to refer to a subsequent element in the linked list when the element in is in-use (Table 14, Gao); and means for deleting the element (column 5 lines 25 - 43, Table 14, Gao).

Application/Control Number: 10/823,845 Page 12

Art Unit: 2166

Contact Information

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Navneet K. Ahluwalia whose telephone number is 571-

272-5636. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Alam T. Hosain can be reached on 571-272-3978. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Navneet K. Ahluwalia

Fxaminer

Art Unit 2166

Dated: 12/05/2006